

# THE NATIONAL ACADEMIES DOCKET FILE COPY ORIGINAL

*Advisers to the Nation on Science, Engineering, and Medicine*

National Academy of Sciences  
National Academy of Engineering  
Institute of Medicine  
National Research Council

June 24, 1999

Ms. Magalie Roman Salas, Esq.  
Secretary  
Federal Communications Commission  
(Delivered to TW-A325, 12<sup>th</sup> Street lobby)  
The Portals  
445 Twelfth Street, SW  
Washington, D.C. 20554

**RECEIVED**

**JUN 24 1999**


**FEDERAL COMMUNICATIONS COMMISSION  
OFFICE OF THE SECRETARY**

In the Matter of )  
)  
The Establishment of Policies ) IB Docket No. 99-81  
and Service Rules for the Mobile ) RM-9328  
Satellite Service in the 2 GHz Band )

Dear Ms. Salas:

Transmitted herewith by the National Academies, through the Committee on Radio Frequencies of the National Research Council, are an original and five copies of its Comments in the above-referenced proceedings. If additional information is required concerning this matter, please communicate with this office.

Sincerely yours,



Robert L. Riemer  
Senior Program Officer

cc: Members of CORF  
Mr. Paul J. Feldman  
Dr. Tomas Gergely  
Dr. Donald C. Shapero

No. of Copies rec'd 0+4  
List ABCDE

**Board on Physics and Astronomy**

2101 Constitution Avenue, NW, Washington, DC 20418 Telephone (202) 334 3520 Fax (202) 334 3575 national-academies.org/bpa

Before the  
FEDERAL COMMUNICATIONS COMMISSION  
Washington, D.C. 20554

In the Matter of	)	
	)	
The Establishment of Policies	)	IB Docket No. 99-81
and Service Rules for the Mobile	)	RM-9328
Satellite Service in the 2 GHz Band	)	

COMMENTS OF THE  
NATIONAL ACADEMIES'  
COMMITTEE ON RADIO FREQUENCIES

The National Academies, through the National Research Council's Committee on Radio Frequencies (hereinafter, CORF; membership list attached), hereby submits its comments in response to the Commission's March 25, 1999, Notice of Proposed Rulemaking (NPRM) in the above-captioned docket. In these Comments, CORF expresses concern about interference from out-of-band emissions created by proposed feeder downlinks in the lower Ku band (10.7-11.7 GHz) into important observations made by scientific users of the 10.6-10.7 GHz bands where the Earth Exploration-Satellite Service (EESS) and Radio Astronomy Service (RAS) have primary allocations. Accordingly, if the Commission decides to designate the lower Ku band for feeder downlinks, it must require that downlink transmissions protect RAS and EESS observations at the level required under International Telecommunication Union Radio Sector (ITU-R) Recommendation RA.769-1, as was proposed by the Commission under similar circumstances in ET Docket 98-206. In addition, the Commission should also modify Part 25 of its rules to provide for a stringent filtering requirement to assure that these levels are met. Such proposed modifications are necessary if RAS and EESS observations in this band are to be protected in a meaningful manner.

I. Introduction: The Importance of RAS and EESS Observations in the 10.6-10.7 GHz Band, and the Unique Vulnerability of Passive Services to Out-of-Band and Spurious Emissions.

CORF has a substantial interest in this proceeding, as it represents the interests of the scientific users of the radio spectrum, including users of the RAS and EESS bands. Both RAS and EESS observers perform extremely important, yet vulnerable, research.

As the Commission has long recognized, radio astronomy is a vitally important tool used by scientists to study our universe. Through radio astronomy, scientists have in recent years discovered the first planets outside the solar system, circling a distant pulsar. Measurements of radio spectral line emission have identified and characterized the birth sites of stars in our own Galaxy, and the complex distribution and evolution of galaxies in the universe. Radio astronomy measurements have discovered ripples in the cosmic microwave background, generated in the early universe, which later formed the stars and galaxies we know today. Observations of supernovas have witnessed the creation and distribution of heavy elements essential to the formation of planets like Earth, and of life itself.

The EESS represents both a critical and unique resource for monitoring the global atmospheric and surface state operationally and experimentally. Both passive and active satellite-based microwave remote sensing represents the only practical methods of obtaining uniform-quality atmospheric and surface data encompassing the most remote oceans as well as densely populated areas of Earth. In the most general terms EESS data has contributed substantially to the study of meteorology, atmospheric chemistry, oceanography, and global change. Currently, instruments operating under the EESS provide regular and reliable quantitative atmospheric, oceanic, and land measurements to support an extensive variety of scientific, commercial, and government (civil and military) data users. Applications of the data include aviation forecasts, hurricane and severe storm warning and tracking, seasonal and interannual climate forecasts, decadal-scale monitoring of climate variability, medium-range forecasting, studies of the ocean surface and internal structure, as well as many others.

These benefits of scientific research using the RAS and EESS, which have been obtained through years of work and substantial federal investment, as well as future benefits, must be protected.

As passive users of the spectrum, radio astronomers and Earth scientists have no control over the frequencies that they must observe, or over the character of the “transmitted” signal. These parameters are set by the laws of nature. Furthermore, the emissions that radio astronomers measure are extremely weak—a typical radio telescope receives only about one-trillionth of a watt from even the strongest cosmic source. Because RAS receivers are designed to pick up such remarkably weak signals, its observatories are therefore particularly vulnerable to interference from spurious and out-of-band

emissions from licensed and unlicensed users of neighboring bands and those bands whose harmonic emissions fall into the RAS bands.

Similar to the RAS, the EESS must utilize frequencies that cannot be arbitrarily chosen. The emissions received by passive microwave EESS radiometers in Earth orbit are likewise weak by comparison with emissions from various other services. Although, in general, EESS receivers will not directly receive downlinks in their main antenna beam, surface-directed emissions originating from other Earth-orbiting satellites can be received in the antenna sidelobes, for example, when they originate near the EESS sensor's horizon. Reflections from Earth's surface (primarily oceans) may also redirect the emissions upward and into the main beam of an orbiting EESS radiometer, albeit with some additional reduction of intensity. Finally, EESS-allocated frequencies are utilized regularly by various ground-based (and sometimes airborne) upward-looking radiometers, primarily experimental in nature, which would be particularly vulnerable to surface-directed spurious and out-of-band emissions.

Of particular concern in this proceeding is interference to RAS and EESS observations in the 10.6-10.7 GHz band from feeder downlinks in the 10.7-11.7 GHz band, as set forth in paragraph 50 of the NPRM. The 10.60-10.68 GHz and 10.68-10.70 GHz bands are allocated to RAS and EESS on a co-primary basis. There is a reason for these primary allocations: the 10.6-10.7 GHz band is especially important to both radio astronomy and Earth remote sensing because it provides a substantial bandwidth (nearly 1%) at a wavelength that is still long enough so that Earth's atmosphere does not provide substantial opacity. This makes possible the most sensitive continuum measurements, which are required for the passive services. Radio astronomers make detailed continuum measurements of the cosmic background in these bands. Earth scientists make extensive radiometric measurements in these bands of sea state and wind directions over oceans, which are extremely important in tracking hurricanes and protecting maritime activities. EESS observations in these bands are also used to monitor Earth surface developments and vegetation.<sup>2</sup>

In sum, scientific observations in the 10.6-10.7 GHz band are important, yet, like all passive scientific observations, they are uniquely vulnerable to interference from out-of-band and spurious emissions.

---

<sup>2</sup>Current major EESS operations include the joint NASA/NASDA (Japan) Tropical Rainfall Measurement Mission (TRMM). One of the instruments on this mission is the TRMM Microwave Imager (TMI), which operates in the 10.6-10.7 GHz band and would be especially sensitive to out-of-band emission scattering off the ground or water from non-geostationary-orbit (NGSO) feeder downlinks operating between 10.7 and 11.7 GHz. This system is used to monitor ocean winds, ocean surface conditions, and Earth surface developments and vegetation. In the next 24 months, NASA will launch the Earth Observing Satellite (EOS), which will contain an instrument called the Advanced Microwave Scanning Radiometer (AMSR-E), which operates in the 10.6-10.7 GHz band. This instrument will likewise be

## II. Significant Regulatory Requirements Would Be Necessary to Protect RAS and EESS Observations at the Appropriate Emission Levels.

As a general matter, historically the placement of satellite downlink allocations immediately adjacent to RAS and other passive service allocations has often resulted in harmful interference to, and loss of flexibility and scientific yield from, large numbers of radio astronomical facilities. Therefore, given the high likelihood that without mandatory protections, the operation of feeder downlinks will cause harmful interference to important RAS and EESS observations in the 10.6-10.7 GHz bands, CORF strongly encourages the Commission to explicitly mandate that a condition of the licensing of such downlink operations is specific and appropriate protection of RAS and EESS observations in the 10.6-10.7 GHz band.

CORF believes that the appropriate reference for protection of RAS and EESS observations is given by the requirements of ITU-R RA.769-1, which, incidentally, provides protection at the levels required for EESS as given by ITU-R SA.1029-1. Indeed, recently in almost identical circumstances, the Commission explicitly relied on RA.769-1 in proposing rules for 10.7-11.7 GHz non-geostationary-satellite-orbit gateway downlinks. See the Notice of Proposed Rulemaking in ET Docket 98-206 (released November 19, 1998; hereinafter 98-206 NPRM) at para. 82.

As the Commission correctly pointed out in Paragraph 82 of the 98-206 NPRM, in order to comply with the requirements of RA.769-1, downlink transmitters would have to limit out-of-band emissions in these frequency ranges so as to maintain ground levels at or below -255 dBW/m<sup>2</sup>/Hz when they are within 5 degrees of the main beam of the radio telescopes and levels at or below -240 dBW/m<sup>2</sup>/Hz at all other times. This will be especially challenging since the flux densities in the downlink band are on the order of -206 dBW/m<sup>2</sup>/Hz.

In sum, it will be difficult for operators of feeder downlinks to comply with the appropriate out-of-band emission limitations, based on RA.769-1. Thus, if the Commission decides to make this designation, the out-of-band emission limitations similar to those proposed by the Commission in ET Docket 98-206 are critical to the protection of important RAS and EESS observations. Furthermore, the Commission should modify Part 25 of the Rules to require that the feeder downlink transmissions use filters that can provide at least 50 dB of suppression in the adjacent RAS and EESS band. While these requirements might cause some increase in the cost of gateway Earth stations and/or satellite stations,

---

susceptible to interference from emissions in the 10.6-10.7 GHz band emitted from NGSO feeder downlinks. Its research mission is similar to that of the TMI.


they constitute a technically realizable approach for assuring compatibility of the downlinks with adjacent-band scientific observations.

### III. Conclusion.

If the Commission decides to designate use of the 10.7-11.7 GHz band for satellite feeder downlink operations, it must require that such transmissions protect RAS and EESS observations from harmful interference. As the Commission recognized in the almost identical situation in ET Docket 98-206, the appropriate level of protection is that set forth in ITU-R RA.769-1. In addition, the Commission should also modify Part 25 of its rules to provide for a stringent filtering requirement to assure that these levels are met. Such proposed modifications are necessary if important scientific observations in the adjacent band are to be protected in a meaningful manner.

Respectfully submitted,

NATIONAL ACADEMIES'  
COMMITTEE ON RADIO FREQUENCIES

By:   
Bruce Alberts  
President

June 24, 1999

Direct correspondence to:

Paul J. Feldman, Esq.  
Fletcher, Heald & Hildreth, PLC  
1300 North 17th Street  
11th Floor  
Rosslyn, VA 22209  
(703) 812-0400

With a copy to:

Dr. Robert L. Riemer  
HA-562  
National Research Council  
2101 Constitution Ave., NW  
Washington, D.C. 20418  
(202) 334-3520

Attachment: CORF Membership

# THE NATIONAL ACADEMIES

*Advisers to the Nation on Science, Engineering, and Medicine*

National Academy of Sciences  
National Academy of Engineering  
Institute of Medicine  
National Research Council

## COMMITTEE ON RADIO FREQUENCIES

Terms expire on June 30 of year indicated.

**Paul Steffes, Chair** 2001  
School of Electrical and Computer  
Engineering  
Georgia Institute of Technology  
Atlanta, GA 30332-0250  
404-894-3128  
Fax: 404-894-5935 or 4641  
Email: ps11@prism.gatech.edu

**Darrel Emerson** 1999  
NRAO  
Campus Building 65  
949 N. Cherry Ave.  
Tucson, AZ 85721  
520-882-8250  
Fax: 520-882-7955  
Email: demerson@nrao.edu

**Michael Klein** 1999  
Jet Propulsion Laboratory  
303-402  
4800 Oak Grove Dr.  
Pasadena, CA 91109-8099  
818-354-7132  
Email: michael.j.klein@jpl.nasa.gov

**Thomas Kuiper** 2001  
Jet Propulsion Laboratory  
169-506  
4800 Oak Grove Drive  
Pasadena, CA 91109-8099  
818-354-5623  
Fax: 818-354-8895  
Email: kuiper@jpl.nasa.gov

**Mark McKinnon** 2000  
NRAO Green Bank  
P.O. Box 2  
Green Bank, WV 24944  
304-456-2212  
Email: mmckinno@nrao.edu

**Ram M. Narayanan** 2000  
Dept. of Electrical Engineering  
242N, WSEC  
University of Nebraska-Lincoln  
Lincoln, NE 68588-0511  
402-472-5141  
Fax: 402-472-4732  
Email: rnarayanan@unl.edu

### NRC Staff

**Donald C. Shapero, Director**  
Email: dshapero@nas.edu

**Robert L. Riemer, Associate Director**  
Email: rriemer@nas.edu

**Board on Physics and Astronomy**  
National Research Council  
2101 Constitution Avenue  
Washington, DC 20418  
202-334-3520  
Fax: 202-334-3575  
Email: bpa@nas.edu

### Consultants

**Paul Feldman**  
Attorney at Law  
Fletcher, Heald and Hildreth  
11th Floor  
1300 North 17th Street  
Rosslyn, VA 22209  
703-812-0400  
Fax: 703-812-0486  
Email: Hildreth@attmail.com

**John Kiebler**  
14520 Dowling Drive  
Burtonsville, MD 20866  
301-384-9615  
Fax: 301-901-9207  
Email: jkiebler@cpcug.org

**A. Richard Thompson**  
NRAO, retired  
Charlottesville, VA 22903  
804-296-0285  
Email: athompso@nrao.edu

### **Board on Physics and Astronomy**

2101 Constitution Avenue, NW, Washington, DC 20418 Telephone (202) 334 3520 Fax (202) 334 3575 national-academies.org/bpa